

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
11 April 2002 (11.04.2002)

PCT

(10) International Publication Number
WO 02/29623 A1

(51) International Patent Classification⁷: **G06F 17/30**

Browning Boulevard, Battery Hill, Caloundra, Queensland 4551 (AU).

(21) International Application Number: PCT/AU01/01185

(22) International Filing Date: 3 October 2001 (03.10.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:

PR 0504	3 October 2000 (03.10.2000)	AU
PR 1150	31 October 2000 (31.10.2000)	AU
PR 3204	19 February 2001 (19.02.2001)	AU
PR 5300	28 May 2001 (28.05.2001)	AU
PR 6855	7 August 2001 (07.08.2001)	AU

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): **LANGFORD, Ronald, N** [AU/AU]; 28 Ulverston Way, Lakelands, New South Wales 2285 (AU). **LANGFORD, John, K** [AU/AU]; 28 Ulverston Way, Lakelands, New South Wales 2285 (AU).


(74) Agent: **SMEETON, Anthony, Richard**; DAVIES COLLISON CAVE, Level 10, 10 Barrack Street, Sydney, New South Wales 2000 (AU).

(71) Applicant (*for all designated States except US*): **GOLD-SPIRIT INVESTMENTS PTY LTD** [AU/AU]; 15

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI,

[Continued on next page]

(54) Title: **ETHOD OF LOCATING WEB-PAGES BY UTILISING VISUAL IMAGES**



(57) Abstract: The present invention provides a web-page (or web-site) search results list which includes images from the actual web-pages or web-sites identified in a user's search, or images associated with the actual organisation operating a web-site. This assists a user to locate web-pages of interest or relevance to the user by providing images to assess the relevance of web-pages identified in a search, prior to the user having to hyperlink to the actual web-page itself. The invention also provides a method of assisting a user to be placed in contact with an organisation, including the steps of: the user submitting a search request from a terminal, via a computer network, to a database server, the database server containing a database and a server-side application used as database searching software; the database searching software searching the database in accordance with the search request; identified database entries being transmitted to the terminal as a search results list, each entry of the search results list containing contact information for the organisation; at least one entry of the search results list additionally containing visual content and/or audio content which relates to the organisation.



WO 02/29623 A1



SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU,
ZA, ZW.

Published:

— with international search report

(84) **Designated States (regional):** ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

Method Of Locating Web-pages By Utilising Visual Images

5

Technical Field

10 The present invention relates to an improved method of locating web-pages (or web-sites) by utilising visual images, and in particular, to an improved method of locating a web-page of interest to a user prior to the user actually having to connect to the web-page.

15 The present invention further relates to an improved method of placing a user in contact with an organisation, more specifically by providing an improved directory having image components which are displayed to a user.

Furthermore, the present invention relates to a new computer readable medium
20 of instructions for providing a user with an improved method of locating web-pages by utilising visual images, or placing a user in contact with an organisation.

The present invention furthermore relates to the provision of audio to a user in
25 connection with assisting the user locate web-pages or contact an organisation.

Background Art

A search engine is a program that returns a list of web-pages (URLs) that match
30 some user-selected criteria. Generally, a user connects to a search engine web-page and either progressively narrows the scope of the search by selecting terms

-2-

with mouse-clicks, and/or enters a search term to be matched against a database. Both of these methods are hereinafter referred to as a search request. Once a URL of interest is located the user can mouse-click on the associated hyperlink and be transferred to the actual web-page, which is typically part of a web-site.

5

Search engine web-sites currently include: ALTA VISTA <http://www.altavista.com>; EXCITE <http://www.excite.com>; and YAHOO <http://www.yahoo.com>, amongst others. These and other search engine web-sites typically act as portal sites. In the Internet, a portal is a web-site on the Internet, which the owner positions as an entrance to other web-sites on the Internet, generally through advertising or endorsement.

10

Presently, when a user utilises an Internet search engine the user clicks on a 'search' icon and is then presented with a list of categories, for example business, computers, entertainment etc.. By progressively moving through these categories the user eventually receives a list indicating a hyperlink to the URL of the most popular web-sites. Alternatively, a user can enter keyword(s) into a designated text entry window. A search engine server computer then searches a database seeking to match the user entered keyword(s) with possibly relevant web-pages or web-sites. Links to the possibly relevant web-pages are presented to the user as a list of hyperlinks retrieved from the database. In either of these search methods when the user mouse-clicks on one of the presented hyperlinks the user is transferred to a web-site which the user hopes is the web-page for which he or she was searching.

20

25

Hence, the user is somewhat blindly connecting to the web-page not knowing exactly what to expect. If the web-page is actually of no use or is irrelevant, which in practice occurs frequently, the user must return to the presented list of hyperlinks and repeat this process, which often amounts to guess work by the user in selecting a hyperlink.

30

Furthermore, in the presented list of hyperlinks a particular web-page or web-site may be repeated several times. For example, several web-pages of a single web-site may be presented as separate hyperlinks in the presented list of search results. This is often undesirable when a user simply wishes to be presented
5 with a list of alternate web-sites.

Most databases, indexes and directories are text driven, as mentioned above, thereby forcing organisations keen to present a profile or product image on the Internet to make use of click through or banner advertising in order to
10 effectively reach Internet users. Given the enormous value of e-business which the computer-related and Internet areas expect to generate, this provides a need to minimise the time which a user spends accessing information (for the user's benefit), for example accessing an organisation's web-site, whilst still effectively presenting a profile or product image to the user.

15

When a user is presented with a list of hyperlinks the user is often uncertain as to the organisation which owns the web-page or web-site to which the hyperlink points. There is a need to provide search results in a format whereby a user can relatively easily identify distinct companies or organisations, product images,
20 brand names and/or trade marks and the like, without having to perform additional steps and connect to additional web-pages (the organisation web-pages) from the search engine web-site, until the actual web-page of interest is located.

25 There is a need to allow organisations or the like to provide search engine users with images, web-site images, brand name images, product images, trade marks and/or logos and the like, directing in response to the users search request so that marketing and user identification of an organisation is more effective.

30 Furthermore, there is a need to provide a user with a more convenient means to be placed in contact with an organisation of relevance to their search inquiry,

for example via telephone or the organisation's web-site, once the user has submitted a search request.

5 Additionally, online directories, such as online business directories, require a user to select the type of business and the location. After further mouse-clicks the user is typically presented with inadequate or unusable information. This often proves unsatisfactory and generally only relates to business's which have become subscribers of the online business directory in a particular geographical region. There is a need to provide a user with a full online directory which lists
10 all available businesses, not just subscriber businesses, and which offers the user visual content for at least some of the directory entries.

In a networked data communications system, users have access to terminals which are capable of requesting and receiving information from local or remote
15 information sources. In such a system a terminal may be any type of computer or computerised device, a personal computer (PC), a mobile or cellular phone, a mobile data terminal, a portable computer, a personal digital assistant (PDA), a pager, or any other similar type of electronic device. The capability of the terminal to request and/or receive information can be provided by an application
20 program, hardware or other such entity. A terminal may be provided with associated devices, for example an information storage device such as a hard disk drive.

In such a system an information source may be a server or any other type of
25 terminal (for example, a PC computer) coupled to an information storage device (for example, a hard disk drive). The exchange of information (i.e., the request and/or receipt of information) between the terminal and the information source, or other terminal(s), is facilitated by a connection referred to as a communication channel. The communication channel can be physically realised
30 via a metallic cable (for example, a telephone line), semi-conducting cable, an electromagnetic signal (for example, a radio frequency (RF) signal), an optical

-5-

fibre cable, a microwave link, a satellite link or any other such medium or combination thereof connected to a network infrastructure.

The infrastructure may be a telephone switch, a base station, a bridge, a router, or any other such specialised component, which facilitates the connection between the terminal and the network. Collectively, the interconnected group of terminals, physical connections, infrastructure and information sources is referred to as a computer network or data communications network.

The computer network itself may take a variety of forms. It may be located within a local geographic area, such as an office building, and consist of only a limited number of terminals and information sources. This type of computer network is commonly referred to as a Local Area Network (LAN). On a broader scale, it may be larger and support more users over a wider geographic area, such as across a city. This type of network is commonly referred to as a Wide Area Network (WAN). On an even broader scale LAN and WAN networks may be interconnected across a country or globally. An example of a globally connected computer network is the Internet.

To a user the Internet appears to be a single unified computer network, although in reality it consists of many different types of computer platforms utilising many diverse data communications technologies. The technologies are connected together in such a manner so they appear transparent to the user. This transparency is made possible through the use of a standard communications protocol suite known as Transmission Control Protocol/Internet Protocol (TCP/IP).

The Hyper-text Mark-up Language (HTML) and Hyper-text Transfer Protocol (HTTP) have developed to make the Internet or World Wide Web very accessible. The exchange of information on the Internet is further facilitated through hyper-text documents. Hyper-text documents are unique in that they use tags to define links which, when selected, fetch the related information from

-6-

within the same document or from a new document altogether. The links are defined using HTML which provides a document formatting method which adapts in a consistent manner to any computer on which it is displayed. HTML tags are used to define the various components of an ASCII text file, image or sound which make up a hyper-text document, including such things as formatting and linking to other documents. HTML tags which link documents on one Internet information source to those on another (hyperlinks) do so by associating a Uniform Resource Locator (URL) with the referenced information. The ability to link Internet files of similar and/or differing formats to each other, and to link documents on other Internet sites, is a powerful feature of the Internet.

This identifies a need for an improved method of locating web-pages by utilising visual images, or placing a user in contact with an organisation, which overcomes the problems inherent in the prior art. This also identifies a need for a new computer readable medium of instructions for providing a user with an improved method of locating web-pages by utilising visual images, or placing a user in contact with an organisation, which overcomes the problems inherent in the prior art.

Disclosure Of Invention

According to one aspect, the present invention provides a web-page or web-site search engine, whereby the search engine provides a search results list containing at least one entry, or no entries if no search results are found, and if at least one entry is provided, then, at least one entry contains visual content in addition to a hyperlink to a web-page. The search results list is formed from a database in response to a user's search request; that is, in response to the user's search request identified database entries are formed into the search results list.

It should be noted that in one embodiment the present invention is described with reference to locating web-pages, however, the present invention can

equally be considered to be applicable to locating web-sites, a web-site being a collection of one or more web-pages.

According to one particular embodiment of the present invention, each entry of the search results list is provided to a user in a format which includes a hyperlink, a 'mini-image' of the homepage of the web-site to which the hyperlink points, and a link for additional contact information. Alternatively, the mini-image can be of any selected web-page from a web-site.

10 In a specific embodiment of the present invention, there is provided a method for locating a web-page, the method including the steps of: a user submitting a search request to a server-side application via a terminal; the server-side application searching a database in accordance with the submitted search request; and identified database entries being transmitted to the terminal as a
15 search results list, each entry containing a hyperlink to a web-page; whereby, each entry of the search results list contains visual content, the visual content related to the web-page for which the entry contains a hyperlink, the user able to view the visual content without being required to activate the hyperlink to obtain the visual content. The visual content can be comprised of more than one image.
20 The visual content can also be provided in addition to other textual information.

In a further specific embodiment of the present invention, there is provided a method of assisting a user to be placed in contact with an organisation, including the steps of: the user submitting a search request from a terminal, via a
25 computer network, to a database server, the database server containing a database and a server-side application used as database searching software; the database searching software searching the database in accordance with the search request; identified database entries being transmitted to the terminal as a search results list, each entry of the search results list containing contact
30 information for the organisation; each entry of the search results list additionally containing visual content and/or audio content which relates to the organisation.

According to another aspect, the server-side application facilitates keyword searching of the database of organisation's web-pages. The terminal can be a PC and the search results list can be presented to the user via an Internet browser application.

5

In a further specific embodiment of the present invention, there is provided a method of assisting a user to be placed in contact with an organisation, including the steps of: the user submitting a search request from a terminal, via a computer network, to a database server, the database server containing a
10 database and a server-side application used as database searching software; the database searching software searching the database in accordance with the search request; identified database entries being transmitted to the terminal as a search results list, each entry of the search results list containing an organisation's contact information; whereby, at least one entry of the search
15 results list contains visual content relating to the organisation identified in the entry. The contact information may be telephone, e-mail or facsimile contact information provided as a hyperlink which the user can mouse-click to initiate each mode of contact with the organisation via the user's terminal. The search results list contains both entries which are provided with visual content and
20 entries which are not provided with visual content. Also, only organisation's which have subscribed to the database service are provided with a database entry having visual content. Broadly, this method provides an online business directory. Specifically, it can be provided that when the user moves a mouse pointer over an entry in the search results list, then the visual content appears to
25 the user, but only if there is visual content associated with the particular entry.

In a further specific embodiment of the present invention, there is provided a method of assisting a user to be placed in contact with an organisation which has subscribed to a directory service, including the steps of: the user submitting a
30 search request from a terminal, via a computer network, to a database server, the database server containing a database and a server-side application used as database searching software; the database searching software searching the

database in accordance with the search request; identified database entries being transmitted to the terminal as a search results list, each entry of the search results list containing contact information for the organisation; each entry of the search results list additionally containing visual content and/or audio content
5 which relates to the organisation.

In a further specific embodiment of the present invention, there is provided a computer-readable medium of instructions for directing a computer to obtain a search results list of web-pages, the computer-readable medium of instructions
10 performing the steps of: receiving a search request from a user; transmitting the search request to a server-side application, the server-side application residing on a database server, the server-side application able to search a database of web-pages on the database server; receiving identified database entries from the server-side application and presenting the identified database entries to the user
15 as a search results list; whereby, the search results list presented to the user includes entries each having visual content indicative of the web-page for which each entry relates. The visual content can be an image, video, animation, mini-image of a web-page, logo or trade mark. If audio information forms part of an entry of the search results list, the audio information can be played to a user
20 automatically or in response to a user action. The user action can be locating a computer mouse in a defined area, or clicking a computer mouse on a defined object on a terminal screen or in a defined area.

25 In a further specific embodiment of the present invention, there is provided a web-page search engine, the search engine providing a search results list to a user in response to a search request from the user, the search results list containing at least one entry, the at least one entry containing visual content related to the identified web-page, in addition to a hyperlink to the web-page.
30 Each entry of the search results list can be provided to the user in a format which includes a hyperlink to the identified web-page, and a mini-image of the homepage of the web-site to which the hyperlink points. The web-page search

-10-

engine can be itself a web-page and acts as an Internet portal and contains, marketing, advertisements, or endorsements.

In a further specific embodiment of the present invention, there is provided a
5 computer-readable medium of instructions for directing a computer to obtain a
search results list of organisations and contact information, the computer-
readable medium of instructions performing the steps of: receiving a search
request from a user; transmitting the search request to a server-side application,
the server-side application residing on a database server, the server-side
10 application able to search a database of organisations on the database server;
receiving identified database entries from the server-side application and
presenting the identified database entries to the user as a search results list;
whereby, the search results list presented to the user includes entries each
having visual content indicative of the organisation for which each entry relates.

15

In an embodiment of the present invention, the visual content is a hyperlink.
Broadly, the visual content is an image, video, animation, and/or a mini-image
of a web-page. In another form of the invention it is sought to provide that the
visual content may be a logo or trade mark of an organisation which is unrelated
20 or related to the web-site to which the entry relates. In another form of the
invention, the mini-image is a reduced scale image of the organisation's
homepage. In yet another form of the invention the mini-image is a thumbnail
image of the organisation's homepage. In another form of the invention, the
mini-image is additionally provided or associated with the organisation's logos,
25 information, other text, trade marks, etc. In still another form of the invention
the mini-image is provided in addition to other information obtained from a text
driven database.

In a preferred embodiment, the present invention provides a keyword searchable
30 directory of organisation's having web-pages or web-sites. Also, the present
invention seeks to provide that keywords which may be searched relate to an
organisation's name, or part thereof, trade names, trade marks, etc.

In a specific embodiment of the present invention, a central database contains all visual content, mini-images and other information provided to a user in an entry of a search results list, that is, the mini-images and other information are not distributed over numerous terminals.

In a further specific embodiment, the present invention provides that an organisation's telephone, e-mail or facsimile contact information is provided as a component of an entry. In still a further specific embodiment of the present invention, the organisation's telephone, e-mail or facsimile contact information is provided as a hyperlink which a user may click to initiate each mode of contact with the organisation via the user's terminal.

Preferably, when a user has located an entry of relevance the user is only required to single-click his or her mouse to initiate contact with the organisation or be transferred to the organisation's web-site.

In a further embodiment of the present invention, the mini-image is a 'conveyor belt slide show'. Specifically, the 'conveyor belt slide show' can be implemented using Javascript conveyor belt slide show script. In a further embodiment of the present invention, a mini-image, or a slide of a 'conveyor belt slide show', is provided with voice over options. In still a further embodiment of the present invention, the slides of the 'conveyor belt slide show' present advertising, organisation logos, trade marks, etc.

In a further embodiment of the present invention, a mini-image or other part of an identified search entry provides streaming video. It should also be noted that more than one mini-image can be provided per search entry.

In a further embodiment of the present invention, the 'conveyor belt slide show', voice overs, other audio, animation, streaming video or the like, is provided as an option which may be activated or stopped by the user. According

-12-

to a further embodiment of the present invention, an entry may contain an applet which may launch automatically or only after activation by a user. Such activation may be the user mouse-clicking on part of the entry. In a further embodiment of the present invention, neon imaging functionality can be provided by utilising Javascript.

According to a further aspect of the present invention, each entry of the search results list, visual content, or mini-image is presented in a window or panel on a screen as an organised grouping or hierarchy of pictures or images. The pictures or images can be grouped by user-defined categories, and/or, grouped dynamically as a user obtains search results or visits web-sites. Dynamic grouping may be time based, such as daily, weekly, etc. groupings.

In still a further broad form of the present invention, the invention can include audio provided to the user. In a particular embodiment of the invention, the invention can incorporate Text-To-Speech (TTS) technology.

In yet a further broad form, the present invention provides that the computer network can be any network of two or more communicating computers or terminals including but not limited to, an internetwork, an intranetwork, a LAN, a WAN, or the Internet.

In other embodiments of the present invention there is provided a method for locating a web-page, and a computer-readable medium of instructions for locating a web-page, substantially according to the embodiment described in the specification with reference to the accompanying figures.

Accordingly, the present invention seeks to provide these and other features providing: an improved method of locating web-pages by utilising visual images; an improved method of placing a user in contact with an organisation; and/or a computer readable medium of instructions for providing a user with an

-13-

improved method of locating web-pages by utilising visual images, or placing a user in contact with an organisation.

5 **Brief description Of Figures**

The present invention will become apparent from the following description, which is given by way of example only, of a preferred but non-limiting embodiment thereof, described in connection with the accompanying figures,
10 wherein:

- Figure 1 illustrates a search results list obtained from the prior art.
- Figure 2 illustrates an embodiment of the present invention wherein, the
15 figure shows a preferred format of the search results list.
- Figure 3 illustrates an embodiment of the present invention wherein, the
figure shows a general flowchart of a system to implement the present
invention.
- Figure 4 illustrates an embodiment of the present invention wherein, the
20 figure shows how mini-images may be grouped in a window or panel on a
computer screen.

25

Modes For Carrying Out The Invention

The present invention according to one embodiment provides an improved method of locating web-pages by utilising visual content (such as images or
30 mini-images). This may be termed a search engine. The present invention seeks

-14-

to provide a web-page (or web-site) search results list which includes images from the actual web-pages or web-sites identified in a user's search, or images associated with the actual organisation operating a web-site. The present invention assists a user to locate web-pages of interest or relevance to the user
5 by providing images to assess the relevance of web-pages identified in a search.

The present invention improves the method of searching for products, services, organisations, information and the like on the Internet. Users require Internet searches to be performed quickly, and the information for which the user is
10 searching to be efficiently provided to them. The present invention provides a method for searching the Internet which significantly reduces the time required to access data, organisations, information and the like of interest to a user.

By providing images in a web-page search results list some subliminal, eye-
15 catching, enticing, aesthetic or the like information can be provided to a user. This is an effective advertising/marketing means.

In accordance with the present invention a user commences a web-page search in a conventional manner as indicated hereinbefore, however, instead of receiving
20 a list of web-pages as hyperlinked URL locations only, the user receives the web-page search results list as a page of numerous options having visual content, that is, as a list of entries. The visual content of each entry of the search results list can include images, video, rotation of still images, animation and the like, or even sound information.

25

In further embodiment, the present invention provides that sounds associated with each entry in the search results list can be provided to a user when the computer mouse is positioned within a region of the computer screen, for example within the borders of an entry.

30

The visual content produced will allow identification of the web-page or organisation with which the visual content is associated to be more readily

-15-

ascertained by the user. This should provide users with an indication of the content of the web-page or the organisation to which the web-page pertains, without requiring the user to actually hyperlink to the actual web-page identified in the search results list.

5

Hence, the user should also be able to quickly scan the results list for any redundancy in web-pages or web-sites.

The present invention includes a database to store information from the Internet. Information stored in a database can include, amongst other features: web-page URL addresses; e-mail addresses; organisation logo/trade mark images; a 'mini-image' of the homepage or any other web-page of web-sites; and navigation key to a phone directory. In response to a user's search request, the database is interrogated by appropriate database searching software to identify relevant database entries which can then be transmitted to a terminal as a search results list.

When a search is completed on behalf of a user each entry in the search results list can be provided with navigation keys to access the options of homepage/e-mail address/logos/phone directory/etc. An entry in the search results list may also be provided with animation of a logo, video or sound if desired.

It should be noted that the invention can also provide that the database may be accessed by an operator who, after receiving a request from a user via telephone, facsimile, e-mail or the like, then accesses the database and provides the user with the information which they require. Said information may include telephone numbers, e-mail addresses, physical addresses or the like. The operator may provide the information in any format, for example verbally or as text.

30

Illustrated in figure 1 is an example of the prior art illustrating how search results are presently presented to a user. Each entry 1 of the search results list

-16-

provides a hyperlink 2 to a web-page of a web-site. Limited information is presented to the user and the user is often unaware whether or not repetition of web-sites or web-pages has occurred in the search results list. The user must mouse-click on the hyperlink 2 to request the web-page to be displayed on the user's Internet browser.

Illustrated in figure 2 is a preferred embodiment of the present invention detailing how, after a user has performed a search request, the search results list 3 is presented with visual content. Each entry 4 of the search results list 3 provides textual information and at least one hyperlink 5. Additionally, each entry 4 of the search results list 3 provides a 'mini-image' of the homepage 6 and/or the organisation's, or another organisation's, logo or trade mark 7.

It should be noted that the images presented in figure 2 do not represent a realistic search and images have been provided by way of example only. The logo or trade mark 7 need not, but may, be associated with the mini-image 6. The logo or trade mark 7 can be provided as advertising for a sponsor, or can be a logo or trade mark 7 of the organisation which owns the mini-image 6.

By providing the mini-image 6 as part of the search results list 3 a user is able to more readily ascertain to what organisation the associated hyperlink 5 relates. Furthermore, the mini-image itself may be a hyperlink to a web-page.

Preferably, having visual content provided in the search results list requires registration with the database administrator by an organisation. Organisations not being registered may still be identified in the search results list in the conventional manner, but visual content may not be provided in unregistered organisation's entries.

Illustrated in figure 3 is the general structure of the searching hierarchy. A server 8 is provided to interface with the Internet and receive search requests from users and provide search results. The server 8 contains the database 9

-17-

which stores information regarding each entry 4 which may be provided in a search results list 3. The server-side application 10 provides functionality to search and retrieve entries from the database 9. The server-side application 10 takes a search request from a user, searches the database 9 to identify database entries and form a search results list, and passes the search results list back to the user via the user's Internet browser. The output module 11 will output the search results list 3 to a user's Internet browser.

Specifics of a preferred, but non-limiting, embodiment of the present invention are now provided. The server 8 is a Cobalt server. The server can be attached to the Internet via a 100 MB backbone. The operating system is Linux. The web server is Apache which easily integrates with Linux. The preferred database 9 is SQL and more specifically MySQL or other comparative competent equipment available the market to the inventor. The server-side application 10 is programmed using PHP. The output module 11 will use PHP to output the search results to an Internet browser. HTML, DHTML, Cascading style sheets and/or Javascript applications on the search engine web-site will assist in this respect. A spider application will be used to build the database 9 content.

20

By providing the search results list with visual content various entries of the search results list may attract impulse viewers to a web-page even if the user was searching a general directory for something other than subject matter of the web-page. An eye-catching web-page image or recognisable logo or trade mark may prompt the user to visit a web-page which may not have been the user's original intention.

25

In a preferred embodiment the search results list may provide textual information only for organisation's which are not registered with the search engine company offering a search results list having visual content. Hence, the unregistered organisation will appear side-by-side with other organisations having associated images which will put the unregistered organisation at a

30

-18-

distinct disadvantage, thereby prompting the unregistered organisation to register with the search engine company.

The database can be constructed to have an entry for all organisation's which can be located by the database operator. A user can the have access to all such
5 directory information. However, only subscriber organisations which pay a fee would be allocated visual content or sound information associated with their database entry. These varying degrees of exposure should entice organisations to become a subscriber so better market the organisation to users.

10

In a further preferred form of the present invention the database may be made available as a visual content searchable directory on storage means, for example CD ROM or DVD.

15 It can also be provided that e-mail, telephone, physical address or other information is stored in the database 9 and accessed by a user if required.

In a further preferred embodiment, visual images can be provided by streaming video technology through video-camera or direct video streaming. Furthermore,
20 visual banner advertising can be provided using video streaming in conjunction with the present invention. In a further embodiment of the present invention, the invention may be provided by utilising broadband technology, cable television, web-TV and/or Dynamic Digital Depth (DDD) technology or the like.

25 In still a further preferred embodiment of the present invention, any hyperlink whether visual or not, may point to a category of services/products, for example shopping, employment, travel, accommodation etc. A hyperlink or entry in the database can act as a 'portal' to a category.

30 In a further embodiment of the present invention, the mini-image may be provided as a 'conveyor belt slide show'. The 'conveyor belt slide show' can be implemented using Javascript conveyor belt slide show script.

Hence, code may be provided which is associated with an entry so that, for example, when a user's mouse pointer moves over the mini-image further images are presented. The further images may extend in a vertical or horizontal
5 fashion, or indeed be presented in any other format.

Each slide of the slide show can show further advertising, organisation logos, trade marks, etc. Furthermore, a mini-image or slide of a slide show may be provided with voice over options. These options can provide audio functionality
10 to the entry. The audio may be launched automatically or by some prompt, for example activation by a user or by the user's mouse pointer entering a certain region.

Similarly, animation and/or streaming video can be provided. It should also be
15 noted that more than one mini-image may be provided per entry if desired. The 'conveyor belt slide show', voice overs, other audio, animation, streaming video or the like, can be provided as an option which may be activated or stopped by the user depending upon the user's preference.

20 Still further, a entry may contain an applet which may launch automatically or after activation by a user. The applet is an executable program which executes on the user's terminal and may perform a range of functions.

Illustrated in figure 4 is a window 20 of a computer screen. The window 20 is
25 presented to a user and contains pictures or images as mini-images 21 from a web-site. Each mini-image 21 is presented in the window 20 as an organised grouping or hierarchy of pictures or images. The pictures or images can be grouped by user-defined categories, such as, for example, news, cars, finance, etc.. The pictures or images can also be grouped dynamically as a user obtains
30 search results or visits web-pages. Dynamic grouping may be time-based, such as daily, weekly, etc. groupings. This allows users to be able to review were

-20-

they have visited, or what they have identified in the past by simple reference to the pictures or images.

It is presently known to group hyperlinks in 'Favorites' or 'History' groupings
5 in web browsers; however, it is only known to group such hyperlinks as text.
The grouping of pictures or images derived from identified web-pages is not
presently known. In one form, the present invention shows hyperlinks as
pictures or images, thereby allowing a user to more readily remember the web-
page or identify the proprietor of the web-site. Saving mini-images on the user's
10 computer may be effected by the user themselves or automatically. The specific
format for the display of mini-images may naturally be significantly varied from
that displayed in figure 4.

The window 20 displayed on the users computer screen can be associated with
15 any number of application programs, for example, a web browser or file
explorer, or if desired, displayed as a stand-alone window.

When the mouse pointer on the screen is passed over or clicks on an image 21,
the image 21 can be enlarged and displayed in the box 22. This provides the
20 user with a clearer and more defined image. The format of the images may
naturally be selected from any number of picture or image formats. Hence, the
user is provided with an image based categorised local directory of hyperlinks
should the user wish to link to an actual web-page.

25 According to a further embodiment of the present invention, the invention can
incorporate audio provided to the user. Software can be utilised to provide
information concerning search results, directions to users, favourites lists, or
any other aspects of the invention, to a user in audio format. In a particular
embodiment, software is provided which can incorporate Text-To-Speech (TTS)
30 technology. This allows a user to hear audio from a computer's speakers based
on information in or identified by a user's computer. For example, by locating a
computer mouse in a defined area, or clicking a computer mouse on a defined

-21-

object on a terminal screen or in a defined area, audio can be triggered to generate via a terminal's speakers. As a further example, as a user moves their mouse pointer over mini-images in a favourites list, distinct audio sounds associated with each mini-image could be played.

5

As one embodiment of the present invention provides an online web-page search engine, so too can an embodiment of the present invention provide an online directory, for example an online business directory. In a specific embodiment, the online business directory can be a compilation of all businesses, which may or may not be geographically limited. The online business directory can be accessed by a user via an Internet browser. It is envisaged that the business directory includes all businesses known to the directory administrator and that contact information, such as telephone numbers, facsimile numbers, e-mail addresses, for each of the listed business's is available to the user. The user can search the directory by any conventional means, for example keyword searching or progressively limiting categories by selection of options with a mouse. However, the directory also provides that at least some of the entries are provided with visual content or audio information. A business can become a subscriber and pay a fee to have visual content or audio information associated with that business's entry in the directory. This provides an advertising or marketing edge to a subscriber business over a non-subscriber business, as the user is more likely to take note of the directory entry having associated visual content.

10

15

In a further specific embodiment, the online business directory can be provided with the appearance of a print telephone or business directory, and when the user moves a mouse pointer over the location of an entry, additional information, such as visual content, appears in a reserved window or location, if the entry is a subscriber.

25

30

It should be noted that the computer network as referenced in this specification should be taken to include all forms of connected or communicating computers

-22-

or terminals having at least two terminals connected or communicating as hereinbefore described.

That is, the term computer network should be taken to include any type of terminal as hereinbefore defined, computer, computerised device, peripheral computer equipment, computerised accessory, mobile or cellular phone, digital electronic device or other similar type of computerised electronic device or part thereof which is rendered such that it is capable of communicating with at least one of any of the aforementioned entities. Said communication of information or data can occur over any data communications network, computer network, wireless network, internetwork, intranetwork, local area network (LAN), wide area network (WAN), the Internet and developments thereof, transient or temporary network, combinations of the above or any other type of network providing for computerised, electronic or digital devices.

15

Furthermore, references to the terms connecting, communicating, transmitting, requesting, receiving, exchanging and the like, and permutations thereof, as applied to the term computer network and/or components thereof should be taken to pertain to the transfer of information or data.

20

Such transfers of information or data can be facilitated for by any form of entity/entities for facilitating such, including, but not limited to, metallic wires or cables, semi-conducting wires or cables, optical fibres and optical devices, wireless means, electromagnetic waves and the like and modulations thereof, acoustic waves and the like and modulations thereof, control of electric and/or magnetic fields, and/or the transportation of all forms of memory devices.

25

Thus, there has been provided in accordance with the present invention, an improved method of locating web-pages by utilising visual images; an improved method of placing a user in contact with an organisation; and/or a computer readable medium of instructions for providing a user with an improved method

30

-23-

of locating web-pages by utilising visual images, or placing a user in contact with an organisation.

The invention may also be said broadly to consist in the parts, elements and
5 features referred to or indicated in the specification of the application,
individually or collectively, in any or all combinations of two or more of said
parts, elements or features, and where specific integers are mentioned herein
which have known equivalents in the art to which the invention relates, such
known equivalents are deemed to be incorporated herein as if individually set
10 forth.

Although the preferred embodiment has been described in detail, it should be
understood that various changes, substitutions, and alterations can be made
herein by one of ordinary skill in the art without departing from the spirit or
15 scope of the present invention as hereinbefore described and as hereinafter
claimed.

-24-

The claims:

1. A method for locating a web-page, the method including the steps of:
a user submitting a search request to a server-side application via a
5 terminal;
the server-side application searching a database in accordance with
the submitted search request; and
identified database entries being transmitted to the terminal as a
search results list, each entry containing a hyperlink to a web-page;
10 whereby, each entry of the search results list contains visual
content, the visual content related to the web-page for which the entry contains a
hyperlink, the user able to view the visual content without being required to
activate the hyperlink to obtain the visual content.
- 15 2. The method according to claim 1, wherein the visual content itself is a
hyperlink.
3. The method according to either claim 1 or claim 2, wherein the visual
content is an image, video, animation, or, a mini-image of a web-page.
20
4. The method according to any one of the claims 1 to 3, wherein the visual
content is a logo or trade mark of an organisation.
5. The method according to claim 3, wherein the mini-image is a reduced
25 scale image of an organisation's home-page.
6. The method according to any one of the claims 1 to 5, wherein the visual
content can be comprised of more than one image.
- 30 7. The method according to any one of the claims 1 to 6, wherein the visual
content is provided in addition to other textual information.

-25-

8. The method according to any one of the claims 1 to 7, wherein the server-side application facilitates keyword searching of the database of organisation's web-pages.

5 9. The method according to claim 8, wherein the keywords which can be searched relate to an organisation's name, or part thereof, trade names, or trade marks.

10 10. The method according to any one of the claims 1 to 9, wherein an organisation's telephone, e-mail or facsimile contact information is provided as a component of a search results list entry.

15 11. The method according to claim 10, wherein the organisation's telephone, e-mail or facsimile contact information is provided as a hyperlink in an entry of the search results list, which a user can mouse-click to initiate each mode of contact with the organisation via the user's terminal.

12. The method according to any one of the claims 3 to 11, wherein the mini-image is a conveyor belt slide show.

20

13. The method according to claim 12, wherein the slides of the conveyor belt slide show present advertising, organisation logos or trade marks.

25 14. The method according to any one of the claims 1 to 13, wherein an entry of the search results list includes streaming video.

15. The method according to any one of the claims 1 to 14, wherein an entry of the search results list contains an applet which launches automatically or after activation by a user.

30

16. The method according to any one of the claims 1 to 15, wherein an entry of the search results list contains sound information which is activated by the

-26-

positioning of a user's mouse pointer over the entry on the user's terminal screen.

17. The method according to any one of the claims 1 to 16, wherein the
5 terminal is a PC and the search results list is presented to the user via an Internet browser application.

18. The method according to any one of the claims 3 to 17, wherein mini-
images which have been obtained by a user are stored in an organised hierarchy
10 or in organised groups on the user's terminal for later reference.

19. A method of assisting a user to be placed in contact with an organisation,
including the steps of:

the user submitting a search request from a terminal, via a
15 computer network, to a database server, the database server containing a database and a server-side application used as database searching software;

the database searching software searching the database in
accordance with the search request;

identified database entries being transmitted to the terminal as a
20 search results list, each entry of the search results list containing an organisation's contact information;

whereby, at least one entry of the search results list contains visual
content relating to the organisation identified in the entry.

25 20. The method according to claim 19, wherein the contact information is telephone, e-mail or facsimile contact information provided as a hyperlink which the user can mouse-click to initiate each mode of contact with the organisation via the user's terminal.

30 21. The method according to either claim 19 or 20, wherein the search results list contains both entries which are provided with visual content and entries which are not provided with visual content.

22. The method according to claim 21, wherein only organisation's which have subscribed to the database service are provided with a database entry having visual content.

5

23. The method according to any one of the claims 19 to 22, wherein the method provides an online business directory.

10

24. The method according to any one of the claims 19 to 23, wherein when the user moves a mouse pointer over an entry in the search results list, then the visual content appears to the user, but only if there is visual content associated with the particular entry.

15

25. A method of assisting a user to be placed in contact with an organisation which has subscribed to a directory service, including the steps of:

the user submitting a search request from a terminal, via a computer network, to a database server, the database server containing a database and a server-side application used as database searching software;

20

the database searching software searching the database in accordance with the search request;

identified database entries being transmitted to the terminal as a search results list, each entry of the search results list containing contact information for the organisation;

25

each entry of the search results list additionally containing visual content and/or audio content which relates to the organisation.

26. A computer-readable medium of instructions for directing a computer to obtain a search results list of web-pages, the computer-readable medium of instructions performing the steps of:

30

receiving a search request from a user;

-28-

transmitting the search request to a server-side application, the server-side application residing on a database server, the server-side application able to search a database of web-pages on the database server;

receiving identified database entries from the server-side
5 application and presenting the identified database entries to the user as a search results list;

whereby, the search results list presented to the user includes entries each having visual content indicative of the web-page for which each entry relates.

10

27. The computer-readable medium of instructions according to claim 26, wherein the visual content is an image, video, animation, mini-image of a web-page, logo or trade mark.

15 28. The computer-readable medium of instructions according to either claim 26 or claim 27, wherein audio information forms part of an entry of the search results list, and the audio information is played to a user automatically or in response to a user action.

20 29. The computer-readable medium of instructions according to claim 28, wherein the user action is locating a computer mouse in a defined area, or clicking a computer mouse on a defined object on a terminal screen or in a defined area.

25 30. The computer-readable medium of instructions according to either claim 28 or claim 29, wherein the audio information is provided using text-to-speech technology.

31. A web-page search engine, the search engine providing a search results
30 list to a user in response to a search request from the user, the search results list containing at least one entry, the at least one entry containing visual content related to the identified web-page, in addition to a hyperlink to the web-page.

32. The web-page search engine according to claim 28, wherein each entry of the search results list is provided to the user in a format which includes a hyperlink to the identified web-page, and a mini-image of the homepage of the web-site to which the hyperlink points.

33. The web-page search engine according to either claim 31 or 32, wherein the web-page search engine is itself a web-page and acts as an Internet portal and contains, marketing, advertisements, or endorsements.

10

34. A computer-readable medium of instructions for directing a computer to obtain a search results list of organisations and contact information, the computer-readable medium of instructions performing the steps of:

receiving a search request from a user;

15

transmitting the search request to a server-side application, the server-side application residing on a database server, the server-side application able to search a database of organisations on the database server;

receiving identified database entries from the server-side application and presenting the identified database entries to the user as a search results list;

20

whereby, the search results list presented to the user includes entries each having visual content indicative of the organisation for which each entry relates.

1/4

Figure 1 (Prior Art)

Web Page Matches (1 - 20 of about 266000)

2

- **Department Of Motor Vehicles**
...business with the Department of Motor Vehicles (DMV). Please...
<http://www.dmv.ca.gov/>
- **Massachusetts Registry of Motor Vehicles - www.massrmv.com**
...Massachusetts Registry of Motor Vehicles (c) 1996 - 2000. All...
<http://www.magnet.state.ma.us/rmv/>
- **Virginia Department of Motor Vehicles**
...© Virginia Department of Motor Vehicles (DMV) 1999. All...
...Licensing Vehicle Services more... Motor Carrier Services Dealer Services...
- **Motor Vehicles**
... Motor Vehicles Motor Vehicle Division Online Vehicle...
...Services, Customer Service Guide Motor Carrier Partnerships Authorized...
<http://www.dot.state.az.us/MVD/mvd.htm>
- **New York State Department of Motor Vehicles Internet Office**
...New York State Department of Motor Vehicles Permission required to...
...Statistics Sampling of recent NYS motor vehicle data. On-line Services at...
<http://www.nydmv.state.ny.us/>
- **Connecticut Department of Motor Vehicles Home Page**
...© 2000 The Department of Motor Vehicles. Privacy Statement All...
<http://dmvct.org/>
- **Florida Department of Highway Safety and Motor Vehicles**
...Department of Highway Safety and Motor Vehicles News Releases...
...& registration Trucking/Commercial Motor Carriers Mobile Home &...
<http://www.hsmv.state.fl.us/>
- **Maine Bureau of Motor Vehicles**
...207-624-9105 Welcome to the Bureau of Motor Vehicles. The Maine...
...the public as it relates to Maine motor vehicle laws. The Bureau is head...
<http://www.state.me.us/sos/bmv/>

1

Figure 2




Figure 3





Figure 4

20



INTERNATIONAL SEARCH REPORT

International application No.

PCT/AU01/01185

A. CLASSIFICATION OF SUBJECT MATTERInt. Cl. ⁷: G06F 17/30

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

AU:IPC AS ABOVE

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

WPAT,USPTO

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P,X	US 6271840A, FINSETH et al, 7 August 2001 Abstract, col 9-10, figures 7 and 8	1-34
A	US 6070176A, DOWNS et al, 30 May 2000	
A	US 5982369A, SCIAMMARELLA et al, 9 November 1999	

☐ Further documents are listed in the continuation of Box C
 ☒ See patent family annex

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T"

later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X"

document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y"

document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&"

document member of the same patent family

Date of the actual completion of the international search

1 November 2001

Date of mailing of the international search report

13 NOV 2001

Name and mailing address of the ISA/AU

 AUSTRALIAN PATENT OFFICE
 PO BOX 200, WODEN ACT 2606, AUSTRALIA
 E-mail address: pct@ipaustalia.gov.au
 Facsimile No. (02) 6285 3929

Authorized officer

S KAUL

Telephone No : (02) 6283 2182

INTERNATIONAL SEARCH REPORT
Information on patent family members

International application No.
PCT/AU01/01185

This Annex lists the known "A" publication level patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent Document Cited in Search Report		Patent Family Member			
US	6271840	NONE			
US	5982369	NONE			
US	6070176	AU	58201/98	EP	1012744
				WO	9836343
END OF ANNEX					